

RHEUMATOID ARTHRITIS TREATMENT TO REDUCE JOINT DAMAGE AND SYMPTOMS WHILE IMPROVING FUNCTION AND QUALITY OF LIFE

*Dipali A. Badashaha, Dr. Tabrej Mujawar and Gitanjali P. Bhamare

Gangamai College of Pharmacy, Nagoan, Dhule.

Article Received on: 21/11/2023

Article Revised on: 11/12/2023

Article Accepted on: 31/12/2023



*Corresponding Author

Dipali A. Badashaha

Gangamai College of Pharmacy,
Nagoan, Dhule.

ABSTRACT

Rheumatoid arthritis affects around 5 out of every 1000 commodities and can beget severe collaborative damage and disability. threat factors include exposure to the terrain, genetics, age, and gender. (Smoking cigarettes, air pollution, and work terrain). In numerous cases, rheumatoid arthritis results in endless incapability since it affects not just the joints but also the internal organs. This autoimmune condition presently has no given cure; rather, each case's symptoms are treated collectively. Then, we give a brief overview of the traditional and ultramodern curatives that can be used to manage this complicated illness in cases. Since there's no given cure for RA, the pretensions of remedy are to reduce pain and stop or decelerate unborn damage. Then, we give a brief synopsis of the numerous literal and contemporary.

KEYWORDS: Swan neck malformation, Boutonnière deformity, rheumatoid arthritis.

INTRODUCTION

Inflammation or rout of one or further joints is belonged to as arthritis. It covers over a hundred conditions affecting joints, girding apkins, and different connective apkins. turning on the species of arthritis, there are different symptoms, but stiffness and pain in the joins are generally current.^[1]

To provide better treatment, the American College of Rheumatology (ACR) regularly updates clinical guidelines for rheumatoid arthritis (RA) surgery, with the most recent update published in 2015. Current recommendations include the following treatments.

1) Rheumatoid-modifying drugs (csDMARDs), contraceptive DMARDs (bDMARDs), and targeted DMARDs (tsDMARDs); 2) Glucocorticoids; 3) Use these terms in some high risk groups. Preventive medicine and the use of nonmedical therapy (although initially part of this design) will be incorporated into guidelines for the treatment of abdominal pain ACR.^[2]

Recommendations regarding preliminary consultation and routine laboratory evaluation, we refer to recommendations from the 2008, 2012 and 2015 guidelines.^[1-3] which recently recommended that physicians follow the recommendations of other drugs in the same network process. Recommendations for perioperative procedures in voluntary orthopedic surgery are described in the 2017 Perioperative Management Guidelines. For recommendations related to reproductive health, we relate compendiums to the 2020 ACR Guidelines for the operation of Reproductive Health in

Rheumatic and Musculoskeletal conditions. In keeping with the Grading of Recommendations Assessment, Development, and Evaluation (GRADE) system, the ACR panel developed recommendations to address clinical situations in general. Both strong and tentative recommendations bear a 70 position of agreement to be achieved by the voting panel. Each recommendation is good as strong or tentative. In this terrain, strong recommendations are those for which the panel is largely confident that the recommended option positively balances the anticipated benefits and pitfalls for the maturity of cases in clinical practice. The difference is that the panel's consensus was that it did not believe its results were affected by the mask. The agreement may be favorable because there is little or no certainty in favor of one option over another or because there is a significant change in the conditions preferred for the alternative.^[3]

Rheumatoid arthritis (RA) is a habitual systemic autoimmune complaint. The course of the complaint is varied. A significant chance of the population presents with case pain, stiffness, progressive common destruction, functional disability, and progressive morbidity and mortality.^[1] The complaint is characterized by patient common inflammation with cartilage and bone loss with significant limitation of exertion, quality reduction. of life, and constantly systemic complications.^[2] The opinion and treatment styles available for RA have progressed greatly in recent times with better access to tertiary care centers in the country. The end of this study was to dissect the being clinical profile of cases with RA in a tertiary care center in southwestern part of India.^[4]

RHEUMATOID ARTHRITIS




Figure 1: Rheumatoid Arthritis Joint.




Figure 2: Type of Joint.

LITERATURE SURVEY

A hallmark of RA is joint involvement, which can lead to significant morbidity and systemic complications. RA is a chronic disease with an autoimmune origin and a variable course. The hands, wrists, knees and feet are symmetrically involved in the clinical picture of RA, which is mainly associated with peripheral joint involvement. Organs such as the skin, heart, lungs, and eyes may experience significant additional involvement. Before symptoms and signs appear, prodromal symptoms may include paresthesia, sweating, migratory swelling, fatigue, weight loss, and transient pain in muscles and joints.^[5]

The city of Pune serves as the site of the third COPCORD study. They found that the prevalence of clinically diagnosed RA was 0.45%, and the prevalence of RA diagnosed using the ACR criteria was 0.28%. Rheumatic musculoskeletal disease patients had a 3.5% prevalence of RA.^[6]

The most frequently involved joints in our study were MCP joint (95.7%), wrist joint (88%), and PIP joint (84.8%), with knee and ankle involvement in 30.4% and 21.7% of patients, respectively. The most frequently involved joints were the wrist joint (100%) and the MCP and PIP joints (94.4%) in patients with high disease activity. The percentage of wrist involvement varied

considerably between our studies (88%), which was higher than that of a similar-region study (66%).^[7]

These patients had significantly worse clinical parameters, including more frequent joint involvement, clinical symptomatology, and signs and manifestations of additional joint disease. The disease activity scoring techniques mentioned above are generally accepted. They are still at odds with each other, though. Some times are expressed as weight differences between DAS28-ESR and CDAI/SDAI for each of their individual components.^[8]

Symptom

The principle symptoms of rheumatoid arthritis are commonplace pain commonplace whipping, lukewarmness and greenness Stiffness is the primary aspect, in particular inside the morning or after sitting for a long term. other symptoms may also consist of fatigue and absence of strength- this could be called fatigue i'm no longer empty Leh excessive temperature or illness sweat dry eyes- as a conclusion of inflammation casket pain-due to swelling. although rheumatoid arthritis is most usually felt within the small joints of the arms and bases, it is able to affect any joint in the body. each aspects of the frame are usually affected at the equal time, however this isn't always the case. a few human beings increase lumps called rheumatoid bumps (roo-

mama - toy- d nod- births) that form below the pores and skin around the affected area, but from time to time there may be no ache.^[9] causes the subsequent can play a element in why someone has rheumatoid arthritis Age despite the fact that it is able to attack grown- united states of america any age, utmost instances of rheumatoid arthritis do in human beings between the durations of forty and 60. while rheumatoid arthritis is first recognized, approximately 75 of instances can work. coitus girls are stricken by rheumatoid arthritis two to three instances in addition continuously than guys. Genetics There are several inheritable and environmental elements that make contributions to the development of rheumatoid arthritis. A inheritable partiality to rheumatoid arthritis indicates that you're much more

likely to develop the grievance due to your inherited makeup. even though the exact inheritable reason of the condition is unknown, having a relative with it is believed to increase the hassle of growing it.

Heavy

Your trouble of elaborating rheumatoid arthritis is advanced if you are at a robust weight than if you are fat. Using your height and weight, your body mass index(BMI) determines whether your weight is accounted healthy. The conceptual BMI for promoted-ups is between18.5 and24.9. If BMI is Below18.5- you are fat Between18.5and24.9- robust weight pasturage Between 25 and29.9- you are in the fat array.



Figure 3: Weight Scale.

Between 30 and 39.9 - you are in the fat range.

Use the healthy weight calculator on the NHS website to work out your BMI.

Smoking

Rheumatoid arthritis develops through a composite of genetic and environmental representatives. Smoking is an environmental representative that significantly increases the trouble of elaboratingthiscondition. However, visit the Smokefree website for counsel, If you

want to stop smoking. bread There is some corroboration of an boosted trouble of elaborating rheumatoid arthritis if you eat a lot of red meat and don't eat a lot of vitaminC. Rheumatoid Arthritis Fact distance.^[10] How does rheumatoid arthritis affect me? We can't prophesy how rheumatoid arthritis will affect you because the fettle can affect people differently. After the opinion of rheumatoid arthritis, smoking conclusion is handed over. Below is the reason Rheumatoid arthritis can be worse in smokers than innon- smokers smoking can affect how well your medicine works.




Figure 4: Smoking in Rheumatoid Arthritis.

In addition to its capability to relieve symptoms, physical exertion is salutary for overall health. Try affiliated exercises on the Arthritis website. Croakers can determine the prognostic of arthritis and how snappily it progresses using blood tests and X-rays. Your croaker can recommend a course of treatment with this information. As new and more important treatments are developed, the prognostic for rheumatoid arthritis cases continues to ameliorate. It doesn't enjoin a full and active life, but requires adherence to specified specifics and life. General information There are further than 100 types of arthritis. (CDC 2016) moment, arthritis affects further than one in four grown-ups. One-third of grown-ups in the pastoral United States have arthritis The frequency of arthritis in the United States may be significantly lower, especially among grown-ups under 65 times of age, according to the 2015 modification. About 92.1 million grown-ups entered a croaker's opinion of arthritis or educated common symptoms harmonious with the opinion, according to revised estimates.

About one in three adults (ages 18-64, men and women) has arthritis or joint symptoms that support a doctor-diagnosed arthritis diagnosis.

The statistics are even worse for people over 65 years old. Arthritis can affect more than two men. Arthritis can affect more than two out of three women.

Although obesity was identified as a risk factor for arthritis from 1999 to 2014, the proportion of obese people with all forms of arthritis decreased significantly.

By conservative estimates, between 2002- 2014, nearly two-thirds (64 percent) of grown-ups with croaker Diagnosed arthritis were adolescent than 65 occasions older. By repressed assessments, by 2040 The composition of raised-ups in the U.S. with complainer

Diagnosed arthritis is projected to boost 49 percent to 78.4 million (25.9 percent of all grown-ups). The number of promoted-ups reporting activity terminations due to their arthritis will boost by 52 percent to 34.6 million (11.4 percent of all raised-ups). (Hootman 2016).^[15]

Living with Rheumatoid Arthritis Occupational therapy

Whether at work or at home, occupational therapists can support you in continuing to perform the tasks you need or want to perform. They will collaborate with you to identify alternative approaches. Visiting an occupational therapist has several advantages, such as

1. Amplified self-assurance
2. Can befit another stuff at home or at work
3. Can dwell solely at home
4. Permit you to replace or stay at work.

Question your croaker what occupational therapists are accessible in your zone. Your GP, gregarious employee or distinguishable healthcare provider may dispose you in hold with occupational remedy through sociable or health favors. Be set to agitate the difficulties you front and how they affect your bio and the lives of those compact toyou. However, do not neglect to interrogate if there's a waiting list, If you want to know how long an designation will take. You can also slate an in-person designation with an OT. Anyhow of your account, you can set up an assignment rapidly.



Figure 5: Suffering from Rheumatoid Arthritis and Depression.

Tools and modifications

You might find it helpful to use specific aids and adaptations if you struggle with daily tasks. With the aid of an aid, you can perform daily activities like cooking, dressing, and bathing. These consist of shower seats, rails or handles, and shoe horns. Larger objects called adaptations can facilitate your movement throughout your house. Wheelchairs, stationary ramps, and bathtubs with integrated handles are some of these items. For any individual with a qualifying care need, local councils in England are required to offer aids and small adaptations for no more than £1000 at no cost. "Community equipment" is what your council may refer to as this. Disabled Facilities Grants are required to apply for adaptations that cost more than £1000. The local council must provide you with aids and small adaptations regardless of your financial situation because they shouldn't be means-tested Find out more about your access to these items by getting in touch with your local council or doctor if you reside in Wales, Scotland, or Northern Ireland.

Living with other conditions

Even so, you may abide with one or other stipulations, If you dwell with rheumatoid arthritis. This isn't extraordinary- 54 of people over 65 in the UK live with two or additional lengthy- stint contingencies. Depression is the most usual fettle among people with rheumatoid arthritis, affecting one in six people.

Who can support me?

Notwithstanding, suffer your croaker who can pertain you to capable coffers, If you sense discouraged. reach our conditioned counsels on the Arthritis Helpline on 08005200520 for self-governing help and mounting. Open Monday to Friday 9 am to 8 pm, eliminating bank recesses. bordering our online community will allow you to interact with real people who are traversing through corresponding belongings as you do every daytime. You can learn another about how you have manipulated arthritis or the struggles and successes of others.

Research and new developments

Nowadays, we encapsulate the concluding judgments in rheumatoid arthritis exploration. Our anterior exploration

1. The result of the contrivance of an innovational pharmaceutical caste. These medicines, grasped as biologics, hold enhanced the quality of life of rheumatoid arthritis cases for the other 20 times.
2. The significance of prompt and firm treatment of seditious arthritis after the initial two days of symptoms is illuminated. People assume rheumatoid arthritis more hell-for-leather after stylish practice rates are introduced. Research enterprise are nowadays being financed to distinguish the cause of rheumatoid arthritis and elaborate substitute, operative treatments.

Output Rephrased Text**For illustration**

1. Our Center for Geology and Genomics works to judge the inherited factors that affect earthborn vulnerability to incendiary arthritis and posterior issues.
2. Rather of eradicating, our rheumatoid arthritis pathogenesis epicenter examines why the condition grows, why it targets the joints, and why the inflammation persists.

3. Disagreements in the shell and vitals microbes of cases with rheumatoid arthritis and how the case responds to treatment.^[11]

Participation

Expanded threat of elaborating rheumatoid arthritis

Osteoporosis

Osteoporosis, which weakens the bones and makes them more exposed to fractures, can be caused by rheumatoid arthritis and unidentified specifics are used to handle it.

Rheumatoid nodes

Ordinarily, this hard towel forms around pressure points correspondent as elbows. however this bump can broaden everywhere within the body, consisting of the coronary heart and lungs.

Rheumatoid arthritis cases be afflicted by Sjogren's improvement, which reduces humidity within the chops and bands analyzing.

Rheumatoid arthritis and numerous of the specifics used to treat it can weaken the inviolable network, extending the threat of infection. Get vaccinated to cover against conditions like COVID- 19, measles, pneumonia and flu.

Abnormal body composition

People with rheumatoid arthritis who have a normal body mass indicator (BMI) constantly have supernumerary body fat.

Carpal lair pattern

Still, the jitters that supply utmost of your hand and fritters can be compressed, If rheumatoid arthritis affects your wrist.




Figure 6: An Arthritis-Affected Joint.

Heart problems: Inflammation of the sac around your heart and hard, blocked arteries are two conditions that can be made worse by rheumatoid arthritis.

Lung disease: Breathlessness that worsens over time is a possible consequence of lung tissue inflammation and scarring in rheumatoid arthritis patients.

Lymphoma: An extended risk of lymphomas, a category of blood cancers that originate inside the lymphatic system, is related to rheumatoid arthritis.

Is depression common in people with rheumatoid arthritis?

Depression constantly coexists with rheumatoid arthritis. Although this is known, depression may go undiagnosed or undressed in rheumatoid arthritis cases because they're constantly not screened for it. exploration indicates that the efficacy of treating depression in cases with rheumatoid arthritis may be compromised if the underpinning cause of the depression isn't addressed.

It's not clear if rheumatoid arthritis cases' anxiety and depression are a result of their physical symptoms or if depression is just one further symptom brought on by the complaint's patient, systemic inflammation.

Experimenters hypothecate that individualities withpre-existing depression may be less open to rheumatoid arthritis treatments. To pinpoint the precise relationship between depression and all forms of arthritis, further exploration isrequired. However, recession in rheumatoid arthritis cases can lead to

If leftuntreated. Can rheumatoid arthritis affect your lungs? reaction April Chang- Miller, M.D.

Rheumatoid arthritis principally impacts the joints, however in some instances it could additionally lead to lung criticism. sometimes, lung troubles start with signs of rheumatoid arthritis, analogous as everyday lump and pain. Lung indictment related to rheumatoid arthritis is greater commonplace in men in their 50s and 60s, with more active rheumatoid arthritis and a records of smoking. The maximum not unusual lung problems consorted with rheumatoid arthritis are Scars within the lungs, interstitial lung complaint Scars mounted with lengthy- time period inflammation can beget lassitude, weak spot, loss of appetite, and briefness of pause in addition to a case dry cough. Lung excrescences rheumatoid bumps are small globs that can elaborate in the lungs and other hall of the body. there is no problem of lung most cancers related to lung bumps, and they normally do not result in any symptoms. on the other hand, bumps have the eventuality to rupture and fall apart the lungs. pleural indictment lump of the pleura, or kerchief across the lungs, can do. A pleural effusion, or a group of fluid among the 2 layers of the pleura, constantly coexists with a pleural effusion. right here and there, the fluid resolves itself. Asphyxia may be because of a big pleural effusion. issue respiration and fever are clean signs of pleural effusion. Small airway inhibition. The wall of the small airways of the lungs may be thickened because of patient irritation and contamination(bronchiectasis) or irritation or harm(bronchiolitis). this may beget mucus parent- up in the lungs, briefness of breath, case dry cough, fatigue and weakness. still, speak your croaker immediately, if you have rheumatoid arthritis and feature unexplained

breathing problems. Rheumatoid arthritis is now and again a target for remedy. In different cases, instances are handled with immunosuppressive tablets or sorts of doing away with fluid from the lungs.^[12] opinion test Diagnosing rheumatoid arthritis in its early ranges may be sensitive because the signs and symptoms can be wrong for a spread of different conditions. The opinion cannot be vindicated by a unmarried blood take a look at or physical examination. Your croaker will bodily examine your joints to check for heat, greenness, and swelling. it may additionally examine your muscle electricity and distastes. Blood take a look at people with rheumatoid arthritis have high conditions of C- reactive protein (CRP) or erythrocyte sedimentation charge (ESR, once in a while called erythrocyte sedimentation fee), and those findings may suggest an anti inflammatory system in the frame. Anti-cyclic citrullinated peptide (anti-CCP) and rheumatoid aspect antibodies are other not unusual blood check markers. picture check Your croaker can also recommendX- shafts to cover the progression of rheumatoid arthritis for your joints over the years. Your croaker can determine the extent of the criticism in your body the use of MRI and ultrasound critiques.^[13] u. s. a. there may be no therapy for rheumatoid arthritis. nonetheless, medical research show that early treatment with capsules called criticism-editing antirheumatic tablets (DMARDs) will increase the legal responsibility of symptom forgiveness. Landon The treatment your croaker recommends will depend upon how lengthy you've got had rheumatoid arthritis and the strictness of your signs and symptoms. 07b031025f5f96dfa8443f843db463b6 pills. NSAIDs, or nonsteroidalanti- seditious capsules, have the functionality to lessen lump and relieve pain. Naproxen sodium (Aleve) and ibuprofen (Advil, Motrin IB, and other manufacturers) are samples of untoward NSAIDs. There are conventions for sturdy NSAIDs. order harm, coronary heart troubles and stomach derangement can do. hormones. Prednisone is an illustration of a corticosteroid remedy that slows common harm and reduces ache and lump. Diabetes, weight benefit, and thinning of the bones can do. Croakers constantly define corticosteroids to ease signs, with the thing of decreasing medication use. general DMARDs. via braking the development of the complaint, those tablets can help unrecoverable damage to joints and other apkins due to rheumatoid arthritis. Leflunomide (Arawa), hydroxychloroquine (Plaquenil), methotrexate(Trexall, Otrexup, and different manufacturers), and sulfasalazine (Azulfidine) are samples of not unusual DMARDs. notwithstanding the range, critical lung infections and liver damage can do. Biologics additionally known as herbal response modifiers, this new magnificence of DMARDs includes abatacept (Orensia), adalimumab (Humira), anakinra (Kineret), certolizumab(Cimzia), etanercept (Enbrel), golimumab (Simponi), infliximab (Remicade), rituximab. (Rituxan), sarilumab (Kevzara), and tocilizumab (Actemra). The graceful outcomes from beginning DMARDs are commonly attained in combination with conventional DMARDs analogous as

methotrexate. The hassle of contamination is also elevated through taking this medicine. concentrate on synthetic DMARDs. Baricitinib (Olumiant), tofacitinib (Xeljanz), and upadacitinib (Rinvoq) can be used if standard DMARDs and biologics do not work. excessive conditions of tofacitinib may growth the trouble of pulmonary embolism, major cardiovascular activities, and cancer.^[14]

Treatment nevertheless, you may be considered for surgical treatment to repair damaged joints, If medication can't assist or simplest partially lessen not unusual harm. Your capability to use your joints can be restored with surgical procedure. it can additionally meliorate feature and reduce ache. during surgical procedure for rheumatoid arthritis, one or similarly of the following strategies may be done Synovectomy. pain remedy and extended commonplace strictness may be carried out via surgical dumping of the infected synovium. shape of tendons. sports activities and common accidents can beget the tendons around your joint to weaken or tear. Your health practitioner can repair the tendon around the joint. Acommonventure. however, surgical conflation is usually recommended to stabilize or realign the joint and relieve ache, If commonplace relief isn't always viable. overall comfort. at some point of not unusual relief surgical procedure, your health practitioner will take away the damaged joint and update it with a substance and plastic prosthesis. there may be bleeding, infection and ache after surgical operation. communicate on your croaker about the professionals and cons.

Mild workout can assist reduce the fatigue you substantiation and strengthen the muscular tissues round your joints. consult your croaker Before beginning an exerciseregimen. Nevertheless, walk round first, if you're simply beginning out. avoid the use of joints which might be stricken, painful or excessively blown. Use warm or cold. warmth has the capability to alleviate ache and relax worrying muscle groups. cold can lessen pain. also, decreasing swelling and irritation are benefits of bloodless surge. Take a damage. lessen your stress role to find a managing medium for ache. pain operation strategies encompass deep breathing, focused imagery, and muscle relaxation.^[15]

RESULTS

Most cases of RA do in women, and a significant proportion have a favorable family history. The MCP joint is the most generally affected joint, and ulnar flexion of the integers is the most common disfigurement. A significant proportion of cases showed high complaint exertion at donation. Common symptoms include bleeding, thrombocytosis, and extravasation. Methotrexate is the most generally specified medicine for utmost cases with DMRD.

REFERENCE

1. JW, Welsing PM, van Booma- Frankfort C, Vreugdenhil SA, Linn- Rasker SP, et al. follow- up ahead medical response predicts five- time case troubles within the RA camera evaluation *Annals of Rheumatology*, 2011; 70(6): 1099- 103.
2. SM, Springer B, Guyatt G, Abdel MP, Dasa V, George M, et al. American university of Rheumatology/ American association of Cardiovascular Surgeons guideline for perioperative operation of antirheumatic drug treatments in cases with rheumatic sicknesses witnessing overall hipsterism or knee arthroplasty. *Arthritis Rheumatol*, 2017; 69: 1538 – 51.
3. Andrews JC, Schunemann HJ, Oxman announcement, Pottie K, Meerpohl JJ, Coello PA, et al. Class Guidelines 15. Moving from substantiation to Recommendations — Recommendation Directions and Strengths. *J Clin Epidemiol*, 2013; 66: 726 – 35.
4. Calabresi E, Petrelli F, Bonifacio AF, Puxeddu I, Alunno A time in review pathogenesis of rheumatoid arthritis. *ClinExpRheumatol*, 2018; 36175- 84.
5. MijiyamaM. Epidemiology and epidemiology of rheumatoid arthritis in third world countries. *Revue du rhumatisme* (ed. English). February 1, 1995; 62(2): 121 – 6.
6. Joshi VL, ChopraA. Is there an civic- pastoral peak? A population- grounded study of rheumatic musculoskeletal diseases in the Pune region, India using the COPCORD Bhigwan model. *Journal of Rheumatology*. March 1, 2009; 36(3): 614- 22.
7. Premkumar B, Srinivasamurthy M, Rajagopal K. A retrospective study on clinical features of cases with rheumatoid arthritis. *BiosciBiotechnol Res Asia*, 2013; 10: 715 – 8.
8. Canhao H, Rodrigues AM, Gregório MJ, Dias SS, Melo Gomes Costa JA, Allaart C, Gwozdenovic E, van der HeijdeD. Generic assessment of complaint exertion in rheumatoid arthritis achieves harmonious bracket in different populations. *borders in Medicine*. March 8, 2018; 54 drug. March 8, 2018; 540.
9. JH, BareJ. Group education for people with arthritis. Case education and comforting, 1996; 27(3): 257- 267.
10. D Hutchison, L Shepstone, R Moots, JT Lear, MP Lynch. Heavy smoking is explosively associated with rheumatoid arthritis (RA), especially in cases without domestic RA. *Annals of Rheumatology* 200160223-227.
11. SmolenJS, AletahaD. All- season scores SDAI and CDAI. *ClinExpRheumatol*, 2014; 3275- 9.
12. Fox CQ, Ahmed SS. Croaker Assistant Clinical Review Card. Philadelphia F. A. Davis Company, 2002; 138 – 9.
13. Goldring SR. A 55- time-old woman with rheumatoid arthritis. *JAMA*, 2000; 283: 524 – 31.

14. MF, Jacob JW, Welsing PM, Wreugdenhil SA, van Booma- Frankfort C, Linn- Rasker SP, et al. Beforehand clinical response to treatment predicts 5-time outgrowth in cases with RA results from the CAMERA study. *History of Rheumatic conditions*, 2011; 70(6): 1099- 103.
15. Louie GH, Ward MM. Changes in common surgery rates among cases with rheumatoid arthritis in California, 1983- 2007. *Ann Rheum Dis*, May 2010; 69(5): 868 – 71.
16. Qakulin Ox, Syed A A Rizvi, Ayman M Saleh, Jasmin Ahmed *Med Principles*, 2019 Mar; 27(6): 501- 507. Published online Sep 2, 2018.
17. Krati Chauhan; JagmohanS. Jandu; LawrenceH. Brent; MuhammadA. Al- Dhahir *Rheumatoid Arthritis (RA) NIH Stat Pearl Publication*, May 25, 2023.
18. Hooi Yeen Apap, Sabrina Zi Yi Tee, in *rheumatoid arthritis (RA)*, 2018 Oct 9; 7(10): 161. doi10.3390/cells7100161 The pathogenic part of vulnerable cells.
19. Tanaka, Y. *rheumatoid arthritis. Inflamm Regener* 40, 20 Published September 7, 2020.
20. Daniel Aletaha, MD1; JosephS. Smolen, MD1 *JAMA*, 2018; 320(13): 1360-1372. doi10.1001/jama, 2018.13103 Published October 2, 2018.