

# International Journal of Modern Pharmaceutical Research

www.ijmpronline.com

## ELEMENTAL ANALYSIS OF CAESALPINIA DECAPETALA

\*Shirish S. Pingale

P.G. Department of Chemistry, Gramonnati Mandal's Arts, Com. & Sci. College, Narayangaon, Pune 410504 (Affiliated to SP Pune University, Pune), India.

Received on: 11/03/2021	ABSTRACT			
Revised on: 01/04/2021	Elemental analysis of Caesalpinia decapetala medicinal plant was studied using XRF			
Accepted on: 21/04/2021	technique. All of the elements detected from leaves of C. decapetala were reported as			
	per the WHO acceptable levels. The concentration of Ca, S, Si, P and K indicates that			
*Corresponding Author	the plant is source of nutrient elements. The present research work may helpful for			
Shirish S. Pingale	standardization of medicinal drug.			
P.G. Department of	KEYWORDS: C. decapetala.			
Chemistry, Gramonnati				
Mandal's Arts, Com. & Sci.				
College, Narayangaon, Pune				
410504 (Affiliated to SP Pune				
University, Pune), India.				

#### INTRODUCTION

Herbal medicines have become important in the universe and have made an impact on the world's health as well as international market in the last decade.<sup>[1]</sup> World Health Organization (WHO) recommends and supports conventional herbal remedies in natural health care programmes as these drugs are easily available at low cost and safe. Medicinal plants are also used as source of food to maintain good health. It is necessary to know the specific constituents in the herbal medicines which are helpful in the different therapies. Many evidences prove that herbal plants are used in the different conventional systems. It realized that the Herbal medicines are more reliable and secured hence are used in medicins.<sup>[2]</sup>

Due to good climatic conditions and various ecosystems, different plant species are found abundantly in India. In diet various seasonal plants are used by Indian peoples.<sup>[3]</sup> Some heavy elements are required in a very small quantities for human body. If they are present on large amount, it is fetal to the body. It can disturb the functions of important organs like kidney, liver and brain in the human body.<sup>[4]</sup> Medicinal plants get contaminated due to heavy elements because these elements are absorbed by roots from soil or plant surface get directly deposited with these elements from the surrounding.<sup>[5]</sup>

Minerals contribute only 4 - 6 % of total human body weight but they are important in diet. Organic ligands form complexes with some minerals by chealating and make them bioavailable to the body system.<sup>[6]</sup> Deficiency or excess of minerals affect on human health and they plays important role in physiological reactions in the

I

body.<sup>[7]</sup> An element is considered to be most important because of two reasons (1) when the reduction of element exposure below a specific limit consistently results in a reduction in a physiologically important function of body and (2) when the element is an integral part of an organic structure and play a vital role in that organism.

Whether the element is essential or not can be defined by two criteria's; (1) first, the absence of that element from diet affects not only the normal growth and metabolism but also development of pathological symptoms. (2) Secondly, replacement of that element eliminate the pathological symptoms.<sup>[8]</sup>

Medicinal plants play vital role in drug development and in pharmacological research because plants parts are used as therapeutic agents and starting materials for the synthesis of the drugs. Therefore concentration of trace element is very important in them.<sup>[9]</sup>

Herbal medicines contain heavy metals and other impurities hence they may have toxic ffect. Therefore precaution should be taken when they are used to treat against different diseases. So it is essential to control the contaminants in medicinal raw material.<sup>[10]</sup> In combating diseases, trace elements have curative as well as precautionary role.<sup>[11]</sup>

In the metabolism, enzyme reaction and in nutrition, inorganic compounds are required in very small amount.<sup>[12]</sup> 40 elements are necessary for the survival of mammals and plants.<sup>[13]</sup> Inorganic elements like sodium,

potassium, phosphorous and calcium plays important role in human health.<sup>[14-16]</sup> Functioning of cells and the survival of organisms are govern by heavy elements. Heavy metals are also important for biological functioning and physiological reactions in the body. Oxidative damage occurs due to excess of these elements.

Cadmium (Cd)), lead (Pb) and mercury (Hg) are more toxic even at very low concentration. They are nonessential elements. Heavy metals can easily enter into the organisms through air, water and soil. Literature survey shows that various metals like lead (Pb), iron (Fe), nickel (Ni), arsenic (As), chromium (Cr), copper (Cu) and cadmium (Cd) plays important role in Oxidative damage.<sup>[17]</sup> Herbal plants are useful for medicinal properties. It contains carbohydrates, proteins and lipids which are essential for the growth of human. For proper metabolic processes inorganic micronutrients like Fe, Co, Cr, Cu, Mg, Zn, Mn etc. are essential. Biochemical functions of the human body get disturb due to excessive or deficient nature of micronutrients.[18-20] So it is compulsory to analyze micro as well as macronutrients in medicinal plants.

The techniques like electro thermal atomic absorption spectrometry (ETAAS), atomic absorption spectrophotometry (AAS), energy dispersive X-ray fluorescence (EDXRF), Inductively coupled plasmaatomic emission spectrometry (ICP-AES), inductively coupled plasma - mass spectrometry (ICP-MS) and electro thermal atomic absorption spectrometry (ETAAS) have their own advantages and limitations with respect to specificity, sensitivity, precision and accuracy. Introduction of ICP-MS and ICP-AES with multi element capabilities has reduced the AAS/AES market. Still AAS/AES technology is reputed in the analytical field.<sup>[21]</sup>

*Caesalpinia decapetala* traditionally uses against various types of diseases. It is widely distributed in the tropical and subtropical regions of Asia. The plant shows array of phytochemical includes shikimic acid derivative, amino acid derivatives, tannins, glycosides, flavonoids, alkaloids, isoprenoids coumarins, and triterpenoids. It is highlight that wood and leaves of the plant possesses antioxidant, anti-inflammatory, analgesic, antibacterial, antitumor, antidiabetic, antifungal, antipyretic, antimicrobial, antiviral, trachoma and anti-diarrheal properties.

The present study was aimed to determine the presence of metallic elements and their quantification in leaves of *Caesalpinia decapetala* plant using XRF technique.

## MATERIALS AND METHODS

**a.** Sample Preparation:<sup>[22,23]</sup> The plant material were separated and washed thoroughly with water to remove soil, foreign particles and all other surface contamination. The plant leaves are allowed to dry at room temperature. The plant materials were air-dried, cut into small pieces and grind into fine powder using grinder. Powdered leaves sample was sieved through a 0.5 mm diameter sieve. 5.0 gram powdered sample was used for XRF studies.

**b.** X-Ray Fluorescence (XRF) Analysis:<sup>[22,23]</sup> Energy Dispersive X-ray Fluorescence (XRF) spectroscopy was used for trace elements analysis of the powdered plant material. The elemental analysis was carried out from Geology Department, of SPPU, Pune, India. The elemental range for XRF spectroscopy is from Sodium to Uranium. The elemental contents was determined by using SPECTRO XPOS (Ametek material analysis division, Germany) with silicon drift detector SDD with resolution of 145 eV at 10000 pulses.

Table 1: Metal Content in Powdered Leaves of	Caesalpinia decapetala.
--	-------------------------

Caesalpinia decapetala			
Z	Symbol	Element	Concentration (ppm)
14	SiO <sub>2</sub>	Silicon	1076.19
13	Al <sub>2</sub> O <sub>3</sub>	Aluminum	43.84
19	K <sub>2</sub> O	Potassium	880.06
20	CaO	Calcium	2969.87
22	TiO <sub>2</sub>	Titanium	18.84
11	Na <sub>2</sub> O	Sodium	0
12	MgO	Magnesium	93.22
15	$P_2O_5$	Phosphorus	993.90
25	MnO	Manganese	41.60
26	Fe <sub>2</sub> O <sub>3</sub>	Iron	872.89
16	S	Sulfur	1500.55
17	Cl	Chlorine	276.69
23	V	Vanadium	0
24	Cr	Chromium	8.20
27	Co	Cobalt	1.55
28	Ni	Nickel	8.58

29	Cu	Copper	40.61
30	Zn	Zinc	88.54
31	Ga	Gallium	2.81
32	Ge	Germanium	0
33	As	Arsenic	0
34	Se	Selenium	4.00
35	Br	Bromine	16.99
37	Rb	Rubidium	89.91
38	Sr	Strontium	1059.66
39	Y	Yttrium	12.11
40	Zr	Zirconium	0.47
41	Nb	Niobium	0
42	Мо	Molybdenum	3.26
47	Ag	Silver	0
48	Cd	Cadmium	3.02
50	Sn	Tin	11.57
51	Sb	Antimony	5.80
52	Te	Tellurium	9.09
53	I	Iodine	0
55	Cs	Cesium	4.59
56	Ba	Barium	0
57	La	Lanthanum	5.07
58	Ce	Cerium	0
68	Er	Erbium	0
70	Yb	Ytterbium	0
72	Hf	Hafnium	1.40
73	Та	Tantalum	0
74	W	Tungsten	3.15
80	Hg	Mercury	0
81	Tl	Thallium	0
82	Pb	Lead	4.66
83	Bi	Bismuth	0
90	Th	Thorium	0
92	U	Uranium	14.22

## **RESULTS AND DISCUSSION**

Now a day's different analytical techniques used for analysis of metal content. One of these is X-ray fluorescence (XRF), in which a source of X-ray photons is used to study the elemental composition of materials. XRF is one of the rapid analytical techniques used to study the elemental composition of medicinal plants and their parts. Heavy and trace elements can be determined qualitatively and quantitatively by using these methods. By using XRF spectroscopy concentration of elements in the powdered plant leaves of Caesalpinia decapetala from sodium to uranium were determined. The concentrations of major elements Calcium, Potassium, Silicon, Phosphorous, Iron, Sulfur, Copper, Zinc, Rubidium and Strontium in plant samples were performed using X-ray fluorescence spectrometry Table No. 6.1. The concentration and percentage of total fifty (50) elements were determined in the leaves powder of Caesalpinia decapetala by using XRF spectroscopy. The elements S, K, Si, Ca and P were found in higher amount. The present study shows that, the medicinal plant Caesalpinia decapetala is a source of biologically

active elements, which may play important role in biological properties.




Fig. 6.1 XRF analysis of Caesalpinia decapetala leaves.

### CONCLUSION

Elemental profile of *Caesalpinia decapetala* medicinal plan was determined using XRF technique. All of the elements detected from leaves of *C. decapetala* are below the WHO acceptable levels. The concentration of Ca, S, Si, P and K indicate that this plant is source of nutrient elements. The present research work may helpful for standardization of medicinal drug.

#### REFERENCE

- Babu, N. G.; Srinivasu, C. C.; Raju, T. P.; Das, N. L., Estimation of Trace Element Concentrations in Anti-Epileptic Medicinal Plants by Using EDXRF, *International Journal of Science and Research*, 2015; 4(2): 211-216.
- Singh, S.; Raghav, P. K., Review of Pharmacological properties of *Caesalpinia bonduc* L, *Int. J. Med. Arom. Plants*, 2012; 2(3): 514-530.
- 3. Damle, S.; Kotian, A., Elemental, Phytochemical and Antimicrobial analysis of *Amorphophallus commutatus* linn, *International Journal of Recent Scientific Research*, 2015; 6(5): 4308-4311.
- Dzomba, P.; Chayamiti, T.; Togarepi, E., Heavy metal content of selected raw medicinal plant materials: *Implication for Patient Health, Bull. Environ. Pharmacol. Life Sci.*, 2012; 1(10): 28-33.
- Saraf, A.; Samant, A., Evaluation of some minerals and trace elements in *Achyranthes aspera* Linn, *International Journal of Pharma Sciences*, 2013; 3(3): 229-233.
- Yagi, S.; Alia, E.; Rahman, A.; Elhassan, G. O. M.; Mohammed, A. M. A., Elemental analysis of ten Sudanese medicinal plants using X-ray Fluorescence, *Journal of Applied and Industrial Sciences*, 2013; 1(1): 49-53.
- 7. Yamashita, C. I.; Saiki, M.; Sertié, J. A. A., Elemental analysis of leaves and extracts of *Casearia* medicinal plants by instrumental neutron

L

activation analysis, *Journal of Radioanalytical and Nuclear Chemistry*, 2006; 270(1): 181-186.

- Zafar, M.; Khan, M. A.; Ahmad, M.; Jan, G.; Sultana, S.; Ullah, K., *et. Al.* Elemental analysis of some medicinal plants used in traditional medicine by atomic absorption spectrophotometer (AAS), *Journal of Medicinal Plants Research*, 2010; 4(19): 1987-1990.
- Narayana, Y.; Prakash, V.; Saxena, M. K.; Deb, S. B.; Nagar, B. K.; Ramakumar, K. L., Accumulation of trace elements in medicinal plants in Mangalore environs of costal Karnataka, *International Journal* of Science, Environment and Technology, 2013; 2(5): 963-968.
- 10. Babu, K.; Rajkishore, V. B.; Narayanan, J.; Margesan, T., Analysis of heavy metals and inorganic element content in *Stereospermum colais* leaves, *International Current Pharmaceutical Journal*, 2013; 2(3): 63-66.
- 11. Rout, O. P.; Acharya, R.; Gupta, R.; Mishra, S. K.; Sahoo, R., Analysis of some Essential elements in medicinal plants used in Ayurveda, *International Journal of Applied Biology and Pharmaceutical Technology*, 2013.
- Tamilarasi, L., Antimicrobial and anthelmintic efficacy of Aloe vera (Aloe Barbadensis Miller, 1768), Ph.D. thesis, University of Madras, Chennai, 2014.
- Jadhav,A. N.; Deo, S.; Inam, F.; Ali, Z., Elemental analysis (Mineral and Heavy metal) composition of *Phyllanthus amarus, Jatropha gossypifolia* and *Ruta* graveolens, Research Journal of Pharmaceutical, Biological and Chemical Sciences, 2012; 3(3): 43-48.
- Arzani, A.; Zeinali, H.; Razmjo, K., Iron and magnesium concentrations of mint accessories (Mentha Spp.), *Plant physiological biochemistry*, 2007; 45: 323-329.
- 15. Momin, R. K.; Kadam, V. B., Determination of ash values of some medicinal plants of genus *Sesbania*

of Marathwada region in Maharashtra, *Journal of phytology*, 2011; 3(12): 52-54.

- Subramanian, R.; Gayathri, S.; Rathnavel, C.; Raj, V., Analysis of mineral and heavy metals in some medicinal plants collected from local market, *Asian Pacific Journal of Tropical Biomedicine*, 2012; S74-S78.
- Hassan, W.; Rehman, S.; Noreen, H.; Gul, S.; Kazmi, S. N. Z.; Jan, M., *et al.* Metallic content of one hundred medicinal plants, *J. Nutr. Disorders Ther.*, 2015; 5(4): 1-9.
- 18. Prasad, A. S., Essential and toxic elements in human health and disease, *Wiley-Liss, New York*, 1993.
- 19. Dell, B. L.; Sunde, R. A., Handbook of nutritionally essential mineral elements, *Marcel Dekker Inc., New York*, 1997.
- Iyengar, G. V., Elemental analysis of biological systems - biomedical, environmental in: Compositional and Methodological Aspects of Trace Elements, *CRC Press, Boca Raton*, 1989.
- Kumar, A.; Singh, R. P.; Singh, N. P., Analysis of macro and micro nutrients in some Indian, medicinal herbs grown in Jaunpur (u. p.) soil, *Natural Science*, 2011; 3(7): 551-555.
- 22. Bhargava, B. S.; Raghupati, H. B., Analysis of plant materials for macro and micronutrients, 76-111.
- Karayil, S.; Bhavani; Vivek, C., Heavy metal analysis from traditionally used herb *Ceropegia juncea*(Roxb.), *IOSR Journal of Pharmacy*, 2014; 4(12): 7-11.